



Torwell Flexible 3D Printer Filament

Torwell Flexible filament is a special thermopolymer which allows the user to obtain materials similar to rubber. With this material, you can create objects that will appear in rubber itself, and according to the type of rubber, the user can obtain different levels of softness and elongation. The tear resistance characteristics of the material are excellent and resistance to tearing is high.

Flexible Filament has the following characteristics:

1. Unique flexibility;
2. High elasticity and excellent abrasion resistance;
3. Consistent diameter and material properties provide reliable, high quality prints;
4. Excellent build platform adhesion and bonding between layers;
5. Low tack, low CoF exterior allows smooth feed through filament guides;

Specifications:

| | |
|-------------------|--|
| Material | TPE Flexible |
| Color | White, Black, Red; Blue, Green, Yellow |
| Diameter | 1.75mm / 3.00mm |
| Weight Filament | 1kg |
| Shore hardness | 92A |
| Print temperature | 190 - 240°C |
| Compatible with | Makerbot, UP, Cubify, Leapfrog Creatr, Builder, Felix, Reprap, Ultimaker and any other FDM 3D printers |
| Package | 1kg/spool; 8spools/ctn sealed plastic bag with desiccants |

TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: 3F, D Bld, Tianshui Tech Park, Weitai RD, Shiyan, Shenzhen China



拓为科技

Torwell Technologies Co., Ltd

TEL: 86-755-89487875

FAX: 86-755-89487876

Website: www.torwell3d.com

Filament Show



TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: 3F, D Bld, Tianshui Tech Park, Weitai RD, Shiyan, Shenzhen China



Torwell Technologies Co., Ltd

TEL: 86-755-89487875 FAX: 86-755-89487876 Website: www.torwell3d.com

Application



Makerbot



UP



Cubify



Reprap

Torwell Flexible filament suitable for a variety of 3D printer, Makerbot, UP, Cubify, Leapfrog, Reprap, Ultimaker, Mendel, Prusa, Huxley, and any other FDM 3D printer.

TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: 3F, D Bld, Tianshui Tech Park, Weitai RD, Shiyan, Shenzhen China



Torwell Technologies Co., Ltd

TEL: 86-755-89487875 FAX: 86-755-89487876 Website: www.torwell3d.com

Spool:

1. Diameter 200mm + inner hub 53mm



Package:

Individual box package with vacuum sealed PE bag
Net weight: 1kg/spool; Gross weight: 1.5kg per box
8kgs per carton; Carton size: 43.5x43.5x18cm



Storage:

Flexible filament shall be kept in clean, dry and dark place. Flexible filament shall avoid direct contact with water.

TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: 3F, D Bld, Tianshui Tech Park, Weitai RD, Shiyan, Shenzhen China