



Torwell PVA 3D Printer Filament

Polyvinyl alcohol (PVOH, PVA, or PVAL) is a water-soluble synthetic polymer hydrolysed from polyvinyl acetate. PVA is fully degradable and is a quick dissolver. It has the following characteristics:

1. Very good adhesion to (High Quality) PLA, enabling reliable printing.
2. Better resistance to surrounding humidity, leave it out of it's bag (in your printer) for a number of days and it still prints.
3. Cleanly prints, high viscosity, so a minimum amount of stringing.
4. non-toxic It is not poisonous
5. The product does not need toxic chemicals that can hurt you and your family's health when you dissolve it, all you need is regular tap water, and time, if you wish to speed up the process use warm water. - This is for all intents and purposes the most "Green" 3D Printing Product for Filament Printers as it is nature friends.

Specifications:

Material	PVA
Color	Nature
Diameter	1.75mm / 3.00mm
Weight Filament	0.5kg
Print temperature	190 - 220°C
Compatible with	Makerbot, UP, Cubify, Leapfrog Creatr, Builder, Felix, Reprap, Ultimaker and any other FDM 3D printers
Package	0.8kg/spool; 8spools/ctn sealed plastic bag with desiccants

TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: R&D Bld, Hongfa Hi-Tech, Tangtou Rd, Shiyan, Shenzhen, China



拓为科技

Torwell Technologies Co., Ltd

TEL: 86-755-89487875

FAX: 86-755-89487876

Website: www.torwell3d.com

Product Show




TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: R&D Bld, Hongfa Hi-Tech, Tangtou Rd, Shiyan, Shenzhen, China




Application




Makerbot



UP



Cubify



Reprap

Torwell PVA 3D filament suitable for a variety of 3D printer, Makerbot, UP, Cubify, Leapfrog, Reprap, Ultimaker, Mendel, Prusa, Huxley, and any other FDM 3D printer.

TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: R&D Bld, Hongfa Hi-Tech, Tangtou Rd, Shiyan, Shenzhen, China



Spool:

1. Diameter 200mm + inner hub 52mm
2. Diameter 160mm + inner hub 32mm



Package:

Individual box package with vacuum sealed PE bag
Net weight: 0.5kg/spool; Gross weight: 0.85kg per box

Storage:

PVA filament shall be kept in clean, dry and dark place. PVA filament shall avoid direct contact with water.

TORWELL TECHNOLOGIES CO., LTD

Tel: +86-755-89487875 Fax: +86-755-89487876 Email: info@torwell3d.com

Add: R&D Bld, Hongfa Hi-Tech, Tangtou Rd, Shiyan, Shenzhen, China